

L A V O ·

Hello There. Let's Rethink Energy.

LAVO Life EV Charger C7 Data Sheet.



EV Charger C7

EVC-7KW1PAC-CG

Make the switch to sustainable transportation. Invest in your future car with this EV charger and help contribute to a greener planet.



Smart
Control



Intelligent
Protection



Communication



Rated
Power



3 Year
Warranty

Special Features

- Multi-protection
- User-friendly displace via a mobile app
- Reliable communication
- Easy installation



Specification Parameters

EV Charger C7 - Single Phase	
Input Voltage	220V±20%
Rated Power	7kW
Output Voltage	220V±20%
Output Current	32A
Dimensions of Pole	W*H*D: 120mm*1450mm*60mm
Frequency	45Hz~65Hz
Standby Power	<5W
Operation Temperature	-30°C~+55°C
Relative Humidity	5%~95%
Operation Altitude	≤2000m
Protecting Rating	IP55
Dimensions	L*W*H: 265mm*130mm*385mm
Package Dimensions	Carton packing, L*W*H: 344mm*259mm*618mm
Weight	<10kg (without pole)
Cable Length	5m
Weight of Pole	~3kg

Compliance

IEC 62196-1-2014, IEC 62196-2-2016, IEC 61851-1-2017, IEC 61851-2-2011, IEC 62752-2016, IEC 62893-1-2017, IEC 62893-2-2017, IEC 62893-3-2017, EN 50620

